File No. MoES/29/23/2015-RTI Government of India Ministry of Earth Sciences

> Prithvi Bhawan, IMD Campus Lodhi Road, New Delhi. Dated - 28 May 2015.

To

Dr. Nitin Zodge,
Parshuram Hospital Lote,
Taluka Khed, Distt. – Ratnagiri,
Pin No. – 415722.

Subject :- Information sought by Dr. Nitin Zodge, Parshuram Hospital Lote, Taluka Khed, Distt. - Ratnagiri, Pin No. – 415722. under RTI Act.2005.

Kindly refer to your RTI application dated - 23/02/2015 (received on 01/05/2015) on the above mentioned subject.

- 2. The reply provided by the concerned officer vide MoES ID No. MoES/29/17/2015-Estt. Dated- 27/05/2015 of Ministry Earths Sciences, New Delhi is enclosed herewith.
- 3. An appeal, if any, against this reply may be made to the Appellate Authority of the Ministry, at the following address within 30 days of the receipt of the letter.

Shri Vivek Misra, Director /FAA.
Ministry of Earth Sciences, Prithvi Bhawan,
IMD Campus, Lodhi Road, New Delhi-110003.

Encl. As above.

Yours faithfully,

(E. Haque)


Central Public Information Officer & Scientist 'C'

Tel. No. 24669521.

## Copy for information to:-

1. Director, (ICC) MoES, New Delhi.

- 2. Dr. M. Sudhakar, Transparency Officer, MoES, New Delhi.
- 3. Under Secretary (Estt.), MoES, New Delhi for information.
- 4. PPS to JS, MoES, New Delhi.
- 5. In Charge IT Section (Sh. Krishnan is requested to upload this reply on website www.moes.gov.in).



## Ministry of Earth Sciences (Estt. Section)

Subject:- Request for information sought by Dr. Nitin Zodge, Ratnagiri under RTI Act, 2005.

CPIO may please refer to their OM No. MoES/29/23/2015-RTI dated 06/05/2015 forwarding therewith a copy of on line received RTI application dated 23/02/2015 received in this Ministry on 01/05/2015 on the subject mentioned above.

2. The applicant has sought the information which is as under:-

- 1. Please provide necessary DoPT office memorandum/order/circular on the basis of which new Recruitment rules and Career Progression Rules (New RR & CPR) was framed for autonomous institutes under Ministry of Earth Sciences (MoES).
- 1. No concrete material information has been sought. The applicant may please be requested to browse DoPT's website <a href="www.http://persmin.nic.in">www.http://persmin.nic.in</a> DoPT OM & Orders Establishment Recruitment Policies which contains a number of OM and other guidelines issued by DoPT on framing of recruitment rules
- 2. Which Committee was formed, if any, by MoES for formulation of New RR &CPR for Indian Institute of Tropical Meteorology (IITM) under MoES. If so,

a. Please five the details about,

- i) the names and designations of the persons authorize to form the committee as per the above DoPT.
- ii)n The names of the committee, the names of it's members and chairman along with their designations.
- iii) Date of the meeting of the such committee and agenda for each meeting along with the names, designations of the representative from IITM participated in the meeting.
- iv) The final approved draft of the committee for implementing new RR & CPR at IITM.
- v)Please provide office order/circular/office memorandum which instructs IITM to merge "Research Category –IA" and "technical Category" to form "Scientific Support Category"
- vi) Please provide necessary office order/circular/office memorandum on the basis of which grade pay of 4800 was introduced in between grade pay of 4600 and 5400.
- 3. Please provide the final copy of New RR & CPR for IITM
- 4. Please provide necessary communications with DoPT with relevant sanctions for implementing New RR & CPR for autonomous bodies under MoES, especially IITM.

guidelines issued by DoPT on framing of recruitment rules

2, 3& 4. The information concerns IITM, Pune. CPIO, MoES is requested to obtain requisite information from the concerned

CPIO i.e. CPIO, IITM. Pune.

This issues with the approval of Deputy Secretary (Estt.).

(A.K. Bhattacharyya)

Under Secretary to the Govt. of India

45/RTI 2015

Shri E. Haque, CPIO & Scientist-C, MoES

MoES ID Note No. MoES/29/17/2015-Estt dated 27/5/2015.